PLASTIC PALLET PROS

5 Gallon Bucket

RRM BK2701

Side View



Bottom View

SPECIFICATIONS

Bucket Dimensions & Specifications	
Height	14.6 (in)
Exterior Bottom Diameter	10.5 (in)
Exterior Upper Diameter	12 (in)
Packaging Method	In bags of 16 packs each
Maximum Weight per Bucket	55-66 (lbs)

Material Options:

Virgin Resin:
High-Density Polyethylene (HDPE)
Masterbatch or Pigment

Recycled Resin:
High-Density Polyethylene (HDPE)
Recycled Additive

PLASTIC PALLET PROS

5 Gallon Lids

RRM L2702



Front View



Side View

SPECIFICATIONS

Lid Dimensions	
Height	9.8 (cm)
Exterior Bottom Diameter	11 (in)
Exterior Upper Diameter	12 (in)

Material Options:

Virgin Resin:
High-Density Polyethylene (HDPE)
Masterbatch or Pigment

Recycled Resin:
High-Density Polyethylene (HDPE)
Recycled Additive

5 Gallon Bucket

Quality Testing

Tests	Expected Results
Weight Control	According to requirements
Dimensions Control	According to requirements
Visual Inspection	According to requirements
Free Fall Tests	No breakages (1 impact with water)
Stack Fall	No breakages (1 impact with water)
Closure Adjustment	According to requirements

Colors



Description

Lid for buckets, with or without a cap, designed to cover plastic buckets.

Made with high-density polyethylene (HDPE) to achieve high impact and load resistance.

Withstands a temperature of 80°C/176°F for 20 minutes.

Lifespan

3 years for virgin material and 1 year for recycled material, manufactured through the plastic injection process.

Decoration

Virgin Packaging Color: According to customer requirements.

Special Care

For use with water-based paint or other products that do not contain solvents.
Do not place heavy objects on the buckets.
Store between temperatures of 15-40°C/59°-140°F.
Store in a dry place, free from contamination, pests and strong odors.
Exposure to sunlight ratio 1:3 (light:shadow) as sunlight can make the resin fragile and brittle.
Do not use surfactants (detergents) for washing.